

Peter Axelson Jeremy Vlcan

Beneficial Designs, Inc. Minden, Nevada

# What makes a trail accessible?

Providing trail access information
Preventing access barriers
Improving trail surfaces
Protecting the environment
Meets accessibility guidelines

# Access Guideline Characteristics

-Surface -Clear Tread Width

-Openings -Protruding Objects

-Tread Obstacles -Passing Space

-Running Slope -Cross Slope

-Rest Intervals -Edge Protection

### Rotational Penetrometer



Objective surface measurement device

Draft Standard for measure of firmness and stability under development

Available from Beneficial Designs

# Assessment and Compliance

Inventory existing facilities and infrastructure

Determine compliance with existing ADAAG and Developed Outdoor Recreation facilities

Create transition plan with goals and objectives for accomplishing access

# Development of a Complete Outdoor Recreation Assessment Process

Develop and validate a repeatable assessment process for all Outdoor Recreation Elements


Create instructions and data collection forms to determine compliance

Set up electronic data collection and data base for management of information




#### **Picnic Table**

Clearance Spa	ce		
	Min	Actual	
TW (Total Width)	30 in		in
KD (Knee Depth)	19 in		in
KH (Knee Height)	27 in		in
TD (Toe Depth)	24 in		in
TH (Toe Height)	9 in		in
Accessible Spa Available	ces		
Perimeter Clea	ır	Υ	Ν



#### **Picnic Table**

Clearance Spa	ce		
	Min	Actual	
TW (Total Width)	30 in		in
KD (Knee Depth)	19 in		in
KH (Knee Height)	27 in		in
TD (Toe Depth)	24 in		in
TH (Toe Height)	9 in		in
Accessible Spa Available	ces		
Perimeter Clea	ır	Υ	Ν



### **Provide Objective Information**



"Moderate" or "Easy" mean different things

People have different abilities (young children,

older adults, people with disabilities, unfit and inexperienced individuals)

Assessment must provide objective information



## **Universal Assessment Team**







## **Key UTAP Information**

Length



Grade



Width



Surface



Cross slope



Features & Facilities



# UTAP – Implementation Status

- Over 900 people trained to lead UTAP assessments
- Over 55 trainers to teach UTAP workshops
- State and agency-wide implementation is growing (AZ, MN, IN, NY, CA, FL)
- UTAP assessments available from consultants

#### **Trailware**

- Store and manage trail data
- Split, copy, reverse and combine trail segments into trails for processing
- Process data to generate grade, crossslope, tread width and surface reports
- Create Summary trail access information

Station Distance	p.h.t.s.v				Feature Distance		Feature Type*	Feature Description	Size LxWxH	UM	Count/ Oty	End Distance	Remain. Tread	Built Feature Access	Action Regid
O Tread Typ Width X-Slope	Surface +/- Typ Cat' Type' Grade I	Compass / GPS Mex X FwdiLat Bk/long Magnitude	Slope Max G Length Magnitude		41	T	Rock	embedded	/2X20X7	im	1		28		
Distance 50 0	F Soil -4 16	01 101 10	6 -		105	V	Bench	arms of backrests no arms			1				
75 Tread Typ	Surface +/- Typ Cat' Type' Grade I	Compass / GPS Max X FixtSLat Bk/long Magnitude	Slope Max G Length Magnitude		50	V	Bench	no arms no backrests			2				
Destance 48 1	F Soil -65	2 50 -		一 33	218	1	Roots	Multiple	5X5	in		224			
101 Tread Typ	Surface +/- Typ Cat' Type' Grade I	Compass / GPS Max X Fwd/Lat Bk/long Magnitude	Slope Max 0 Length Magnitude		337	T	Roots	Multiple	4 X4	in		347			
0000000 48 5	F Soil -9 1	18 16 -	- 12	6 -	175	T	Water Bar	wood	4X60X4	in	1		0		
193 Tread Typ Width X-Slope	THE RESIDENCE OF THE PERSON NAMED IN	Compass / GPS Max X Fwd/Lat Bk/long Magnitude	-Slope Max 0 Length Magnitude		261	T	Rut		12X48X		1		0		
000tance 48 5	F mon -4 5	53 51 -	- 20	2 28	391	V	Scania View								
226 Tread Typ	THE RESERVE TO SHARE THE PARTY OF THE PARTY	Compass / GPS Max X Fwd/Lat Bk/long Magnitude	-Biope Mex C Length Magnitude		391	V	Bench	backrests			3				
0000000 45 4	F mow -15 /	23 /23 -			391	V	potable	fountain			1				
287 Tread Typ Width X-Stope	THE REAL PROPERTY AND ADDRESS OF THE PERSON NAMED IN		-Stope Max C Length Magnitude												
Distance 45 2	F mon -7 1	75 173 -	- 22	2 -											
309 Width X-Slope		Compass / GPS Max X FwdiLat Birlong Magnitude	-Slope Max C Length Magnitude												
015tanon 45 3	201000	92 191 7	5 16	8 -											
39/ Width X-Slope	Gurface +/- Typ Cat* Type* Grade	Compass / GPS Max X FieldLat Bictong Magnitude	-Stope Max C Length Magnitude												
Distance															
Tread Typ Width X-Slope	Surface +/- Typ Cat' Type' Grade	CONTRACTOR OF THE PROPERTY OF THE PERSONNELS.	-Slope Max C Length Magnitude	MCW											
Distance															
Tread Typ Width X-Stope	Surface #/- Typ Car* Type* Grade		Slope Max C Length Magnitude	MCW											
Distance															
Tread Typ Width X-Slope	Surface e/- Typ Cat' Type' Grade	Compass / GPS Max X FwdLat 8k/long Magnitude	Slope Max C Length Magnitude												
Distance															

<sup>\*</sup> Please use only values from data lists

## TrailWare Station Data Entry

#### Warning, required station data missing

Trail Na	me Pi	oneer		po	Seg	ment Na	ame 1 S	eg Pionee	r to Mill		Date /	Apr 22,	2002	Add Station
Station Distance	in	pot			pct			pct	ft	pct	ft	in	Re-order	Finish Entr
0	Tread Width	X-Slope	Category	10000	+/- Typ Grade	Fwd	ipass Back	Max X Magnitude			Grade e Length	MCW	8191	Help
Distance 35	60 Tread Width	1.9 X-Slope	Firm Sur Category		+/- Typ Grade	132 Corr Fwd	131 pass Back	Max X Magnitude			Grade e Length	MCW		Exit TW
Distance	60 Tread	2.1	Firm	Soil	1.0 +/- Typ	146	147		Slope		Grade			
112 Distance	Width 60	X-Slope 1.6	Category		Grade 1.5	Fwd 150	pass Back 151	Magnitude 6.8				MCW	O	
149 Distance	Tread Width 60	X-Slope	Sur Category Firm	face Type Soil	+/- Typ Grade	Corr Fwd 150	pass Back 150	Max X Magnitude	Slope Length		Grade e Length	MCW		
227	Tread Width	X-Slope	Sur Category	face Type	+/- Typ Grade	Corr Fwd	ipass Back	Max X Magnitude	-Slope Length	Max	Grade e Length	MCW	-	
Distance 318	55 Tread Width	1.8 X-Slope	Firm Sur Category		+/- Typ Grade	141 Corr Fwd	142 npass Back	Max X Magnitude	Contract of the Party of the		Grade e Length	MCW		
Distance	55	2.3	Firm	Soil	-1.5	127	127						0 =	

2264 Final Distance

Blue shading: Fields exported to Trail Explorer or used in Trail Explorer calculations

Yellow shading: Calculated fields, also used in Trail Explorer

Red buttons: Warning - required station data is missing

#### Required feature data omitted

Help

Exit TW



			A SHOW A SHOW THE SHO	-			-										_
Park L	st	Park Info Trail Li	ist Trail Detail Segments	Se	gmer	nt Co	over 8	Station	is Fea	tures	Repor	ts					
Trail N	ame	Pioneer	Segmen	nt Na	ime	1 Se	ag Pic	neer	to Mill		— Da	te Apr 22,	, 2002 Re-on	nder A	dd Fe	eatu	re
Feature Distance			Feature Description	1	Size L x W x		UM	Count/ Oty	t/ End Distance		Built Feature Access		Materials		inish Addi In	Marked Mark	Ŋ
0	Т	Trailhead	Parking Lot										1	0	O go	0	F
0	٧	Restroom	Chemical Toilet					1			Yes		T	0	O go		
47	V	Pionio Table	Wooden					2						0	O go		
53	V	Scenic Mewpoint	Mt. Cora						149				T	0 (	O go		1
69	Т	Root	Multiple Roots	14	5	6	in	5	83	38			T	0	<b>9</b>	0 1	
130	V	Bench	Back and armrests	60	18	18	in	1					1	0	O g		
199	Т	Rock	Small Boulder	13	12	16	in	1		48		Remove	1	0	O go	0 1	
239	V	Bench	Back and armrests	60	18	18	in	1					1	0	O g		
334	T	Waterbar	4 X 4 Plank	4	54	8		1		0			T		O go	0 1	1
338	T	Erosion	Center of Trail	10	8	12	in					Monitor	T	0 (	O go		
416	T	Minimum Clearance	Boulder- large, centered in path	40	22	20	in					Remove		0 (	O go	0	
521	V	Bench	Back only	60	18	18	in	1						0 (	O go		1

Blue shading: Fields exported to Trail Explorer or used in Trail Explorer calculations

Yellow shading: Calculated fields, also used in Trail Explorer Red buttons: Warning - required station data is missing

### **TrailWare Reports**

English or Metric units

Data summaries:

Grade, Cross Slope and Width

Surface Category and Type

Tread and Vertical Obstructions

Trail Access Information

## Station or Feature Log Report

Pi	ionee	r	The Scott Line Set of								W	Print //Notes	Print no Notes	Export	Reports
10000	organ eature			mn, click on underline	d headi	ings)									
	Feature Distance	IV	Feature Type	Feature Description			<u> x H</u>	UM	Count	End Distance	Remain Tread	Built Feature	Action Required	Materials	Photo?
2	1664	٧	Waterfall	Grist Mill Waterfall											
1	334	Т	Waterbar	4 X 4 Plank	4	54	8		1		0				□ ●
1	891	Т	Waterbar		4	60	6	in	1		0				0
1	2077	٧	Water	Drinking Fountain					2			Yes			00
1	1496	Т	Vertical	Branches	36	60	48	in		1501	0		Remove		.00
2	1463	Т	Vertical	Branches	43	48	6	in		1457	0		Clear		
2	1457	Т	Vertical	Overhanging Rock	57	46	73	in		1463	20				00
1	1478	٧	Tree	Old Hickory Grove						1509					0
2	236	V	Tree	Oak Tree Grove						293					00

## **Summary Tables for Typicals**

Pioneer Morgan Grist Mill Grade Percentages first segment assessed Apr 22, 2002 last segment assessed Apr 22, 2002

Grade		Lei	ngth		
%	% of trail	m	km	Sum 9	% of trail
0-3	63.9%	765.0	0.77	>=0	100.0%
3.1-5	25.1%	300.8	0.30	>3	36.1%
5.1-8	7.0%	83.5	0.08	>5	11.0%
8.1-10	0.9%	11.3	0.01	>8	4.0%
10.1-12	0.9%	10.4	0.01	>10	3.1%
12.1-14	0.7%	8.8	0.01	>12	2.2%
14.1-16	0.7%	8.2	0.01	>14	1.5%
16.1-20	0.8%	9.1	0.01	>16	0.8%
20.1-30	0.0%	0.0	0.00	>20	0.0%
30.1-50	0.0%	0.0	0.00	>30	0.0%
over 50	0.0%	0.0	0.00	>50	0.0%
Total	100.0%	1197.2	1.20	90	

# Wheeled Instrumentation Sensor Package - WISP

Stroller – 3 wheeled jogging stroller with 22 inch wheelbase

Rolawheel – measures 13 inch width and 18 inch length

ATV – collects grades and x-slopes based on the vehicle wheelbase

OHV – same as ATV












# **Cross Country and Snowshoe Trails**














# High Efficiency Trail Assessment Process HETAP Software 2.0


Software that guides the user to collect objective surface and feature trail data

Sort data to create grade, cross slope, surface and tread width reports

SQL data base for compatibility with larger data base systems

Calculation of Trail Access Information





File Print

Station Data Features Data

#### Stations Data Report: Tread Width

	Seg. Number	Station Location	Station Length	Cumul. Length	Cumul. Percent	Tread Width	X-Slope (%)	Grade (%)	Surface Category	Surface Type	Lat.	Lon.	
1	1	235.8	3.3	3.3	0.1	24.0	3.9	14.8	Firm	Sand	39.290	-119.277	
2	1	277.4	8.6	11.9	0.4	24.0	21.9	-16.1	Firm	Sand	39.290	-119.277	
3	1	286.0	7.1	19.0	0.6	24.0	21.6	-12.0	Firm	Sand	39.290	-119.277	
4	1	293.0	8.6	27.6	0.8	24.0	11.9	8.6	Firm	Sand	39.290	-119.277	
5	1	345.1	19.8	47.4	1.4	24.0	-7.2	0.3	Firm	Sand	39.290	-119.277	
6	1	365.0	17.0	64.4	2.0	24.0	-4.0	3.6	Firm	Sand	39.290	-119.277	
7	1	382.0	20.9	85.3	2.6	24.0	1.8	-2.0	Firm	Sand	39.290	-119.277	
8	1	472.4	8.7	94.0	2.9	24.0	2.9	-10.3	Firm	Sand	39.290	-119.276	
9	1	481.1	29.4	123.4	3.8	24.0	-2.5	-5.5	Firm	Sand	39.290	-119.276	
10	1	510.5	20.9	144.2	4.4	24.0	11.0	0.3	Firm	Sand	39.290	-119.276	
11	1	531.4	10.5	154.8	4.7	24.0	16.0	5.2	Firm	Sand	39.290	-119.276	
12	1	541.9	7.8	162.5	5.0	24.0	8.0	-3.1	Firm	Sand	39.290	-119.276	
13	1	549.6	2.2	164.7	5.0	24.0	-1.2	4.8	Firm	Sand	39.290	-119.276	
14	1	551.8	6.2	171.0	5.2	24.0	32.8	-8.8	Firm	Sand	39.290	-119.276	
15	1	558.1	4.7	175.7	5.4	24.0	12.9	-12.5	Firm	Sand	39.290	-119.276	
16	1	223.9	3.5	179.2	5.5	30.0	0.1	-28.4	Firm	Sand	39.290	-119.277	
17	1	227.5	4.0	183.2	5.6	30.0	1.9	-31.0	Firm	Sand	39.290	-119.277	
18	1	231.5	4.3	187.6	5.7	30.0	-0.3	-11.9	Firm	Sand	39.290	-119.277	
19	1	452.3	8.3	195.9	6.0	30.0	9.7	-18.0	Firm	Sand	39.290	-119.276	
20	1	460.6	11.8	207.7	6.3	30.0	6.2	-26.6	Firm	Sand	39.290	-119.276	
21	1	562.8	14.2	221.9	6.8	30.0	-1.5	-3.3	Firm	Sand	39.290	-119.276	
22	1	577.1	5.1	227.0	6.9	30.0	-11.9	13.2	Firm	Sand	39.290	-119.276	
23	1	582.2	2.7	229.8	7.0	30.0	-16.7	18.4	Firm	Sand	39.290	-119.276	
24	1	584.9	11.0	240.8	7.4	30.0	3.6	-10.0	Firm	Sand	39.290	-119.276	
25	1	595.9	64.3	305.1	9.3	30.0	-2.0	-1.5	Firm	Sand	39.290	-119.276	
26	1	660.2	36.1	341.2	10.4	30.0	-2.1	-2.7	Firm	Sand	39.290	-119.276	





File Print

Station Data Features Data Rotational Penetrometer Data

#### Features Data Report: Feature Height

	es bata Reporti														
	Seg. Num.	Aggr. Dist	Zone	Feature Type	Description	L	w	н	Qty.	End Dist.	Rem. Tread	Blt. & Acc.	Action Required	Material Needed	
11	7	1242.6	Trail	Bollard	Metal bollard in center of bike path	0.4	0.4	3.0	1	0.0	48.0				
12	7	2824.8	Trail	Bollard	Metal bollard in center of bike path	0.4	0.4	3.0	1	0.0	48.0				
13	7	2859.5	Trail	Bollard	Metal bollard in center of bike path	0.4	0.4	3.0	1	0.0	48.0				
14	7	13.8	Visual	Bench	Wood and metal bench with backrest	8.0	2.0	2.7	1	0.0	0.0				
15	7	2024.1	Visual	Bench	Wood and metal bench with backrest	8.0	2.0	2.7	1	0.0	0.0				
16	7	3340.8	Visual	Bench	Wood and metal bench with backrest	8.0	2.0	2.7	1	0.0	0.0				
17	7	2327.1	Trail	Hole	Hole in asphalt	0.7	0.7	0.6	1	0.0	72.0				
18	7	821.2	Trail	Hole	Hole in asphalt	0.2	0.3	0.4	1	0.0	60.0				
19	7	173.0	Trail	Rut	Crack in asphalt	0.1	4.0	0.1	1	0.0	48.0				
20	7	352.9	Trail	Other Feature	Monitoring well manhole in trail	0.9	0.9	0.1	1	0.0	76.0				
21	7	451.7	Trail	Rut	Crack in asphalt	0.1	5.0	0.1	1	0.0	48.0				
22	7	555.7	Trail	Other Feature	Manhole in trail	1.3	2.0	0.1	1	0.0	36.0				
23	7	558.1	Trail	Rut	Crack in asphalt	0.1	7.1	0.1	1	0.0	48.0				
24	7	627.4	Trail	Rut	Crack in asphalt	0.1	7.1	0.1	1	0.0	48.0				
25	7	700.7	Trail	Rut	Crack in asphalt	0.1	7.1	0.1	1	0.0	48.0				
26	7	1024.3	Trail	Rut	Crack in asphalt	0.1	4.0	0.1	1	0.0	48.0				
27	7	1115.2	Trail	Rut	Crack in asphalt	0.1	5.0	0.1	1	0.0	48.0				
28	7	1222.0	Trail	Bump		0.1	8.2	0.1	1	0.0	24.0				
29	7	1240.3	Trail	Bump		0.1	8.2	0.1	1	0.0	0.0				
30	7	1346.1	Trail	Rut	Crack in asphalt	0.1	6.3	0.1	1	0.0	0.0				
31	7	1470.0	Trail	Rut	Crack in asphalt	0.1	6.3	0.1	1	0.0	12.0				

### **Trail Information Formats**

Trail Access Information - TAI Information sheets

TAI Laminated strip decals

Full panel signage with TAI

TAI on Web Site

### **Internet Web Site**





Have you ever finished a three hour hike in one hour? Have you struggled on a "moderate" trail? Have you encountered barriers on an "easy" trail? The Trail Explorer website is unique because it uses <u>Trail Access Information</u> to help trail users make informed decisions about which public lands to visit, and which trails will best meet their interests, abilities and desired experiences. Trail Explorer benefits all users, but is particularly helpful for individuals with disabilities, older adults, parents with young children, and novice hikers.



831 338 8860

HOME ABOUT

DEFINITIONS

LINKS

TRAIL ACCESS INFORMATION

TRAIL FEATURES

Customize your search by trail use and features.


TRAIL ACCESS

Find a trail to suit your ability. Search by grade, cross-slope and surface.

TRAIL MANAGEMENT

Authorized trail managers may add or edit trail information. Contact Beneficial Designs.

CONTACT US



TRAIL ACCESS SEARCH Use this advanced search to find a trail to match your abilities by selecting your preferences from the options below. To broaden your search, remove preferences in categories of less importance. For the definition of a term, click on the term.

Choose a state: Indiana 🔻	Surface Firmness:	
Trail length:  1.0 mi (1.6 km) or less		
Typical grade:  5% or less		
Typical tread width: No preference		
Find Trails	Clear Form	

home | about us | definitions | trail access information | links | acknowledgments | disclaimer |

© Copyright 2001 Beneficial Designs



HOME

ABOUT US

DEFINITIONS


Find Trails

LINKS

TRAIL ACCESS INFORMATION




Customize your search by trail use and features.



Find a trail to suit your ability. Search by grade, cross-slope and surface.

#### TRAIL MANAGEMENT

Authorized trail managers may add or edit trail information. Contact Beneficial Designs.



TRAIL FEATURE SEARCH - Find a trail that fits your interests and abilities by selecting your preferences from the options below. To broaden your search, remove preferences in categories of less importance. For the definition of a term, click on the term.



Clear Form

home | about us | definitions | trail access information links | acknowledgments | disclaimer

© Copyright 2001 Beneficial Designs



### www.trailexplorer.org

9 trails found. Use the "Back" button on your browser to refine your selection. Click on the trail name for more information. Click on the column heading to sort by column.

Trail	Park	State	Length	Typical Grade	Max Grade	Typical Xslope	Max Xslope	Typical Tread Width	Min Clear Width	Surface Firmness	Surface Matts
Trail 10	McCormick's Creek State Park	IN	0.7 miles (1.1 km)	3.3%	34%	3.5%	12%	50 in (126 cm)	na	Firm	Rock/Boulder
Trail 8	McCormick's Creek State Park	IN	0.7 miles (1.1 km)	2.3%	12%	1.1%	4%	60 in (152 cm)	na	Paved	Asphalt
Trail A	McCormick's Creek State Park	IN	0.2 miles (0.3 km)	2.2%	9%	1.3%	4%	58 in (148 cm)	na	Firm	Crushed Stone (Fines)
Trail 6	Spring Mill State Park	IN	0.4 miles (0.7 km)	2.3%	7%	2.2%	4%	60 in (152 cm)	na	Paved	Asphalt
Trail 7	Spring Mill State Park	IN	0.9 miles (1.5 km)	3.3%	23%	3.1%	8%	52 in (131 cm)	na	Firm	Soil
Trail 7 Spur to Trail 4	Spring Mill State Park	IN	0.4 miles (0.6 km)	3.9%	27%	2.8%	9%	49 in (125 cm)	na	Firm	Soil
Trail 10 Spur to Camels Back	Turkey Run State Park	IN	0.1 miles (0.2 km)	0.9%	2%	1.8%	5%	60 in (152 cm)	na	Firm	Crushed Stone (Fines)
Trail 11	Turkey Run State Park	IN	0,2 miles (0,3 km)	3.1%	9%	4.3%	11%	60 in (152 cm)	na	Firm	Crushed Stone (Fines)
Trail 7 Spur to Campground	Turkey Run State Park	IN	0.1 miles (0.2 km)	3.3%	6%	2.7%	5%	60 in (152 cm)	na	Firm	Soil

# TAI Information Sheet



#### **Trail Uses**



Hiking

Dogs on Leash



No Bikes



No Equestrians



No Motorized Vehicles

#### Hazards and Obstructions



Step 30



Rock



#### **Pacific Crest Trail**

**Eldorado National Forest** 

#### Trail Length 1.1 mi (1.8 km)

Trail is part of the Pacific Crest National Scenic Trail and starts next to the seasonally open visitor center at Carson Pass. Restrooms are available at trailhead. A \$3.00 parking charge is required to park and hike. Envelopes/depository for fee is present. An overnight camping permit is required if staying overnight. Several local and regional maps are displayed at the trailhead.

Cumulative Gain 427 ft (130 m) Elevation Change Loss 82 ft (25 m)



Typical Grade is 8.5%

48% of the trail is between 8% and 22% 144 ft (44 m) is between 20% and 22% 8% grade is a standard ramp.



Typical Cross Slope is 3.1%

20% of the trail is between 5% and 11% 226 ft (69 m) is between 8% and 11%



Typical Tread Width is 49 in (124 cm)
Tread Width ranges from 14 in (36 cm) to 100 in (254 cm)



Trail Surface is Soil

100% of the trail is Hard or better
5962 ft (1817 m) of the trail is Firm or better

#### **Trailhead Location**

At Carson Pass on Highway 88 directly on north side of the seasonally



Warning: Trail conditions may have changed since this trail was assessed. Temporary obstructions (e.g. fallen trees or land slides) may not have been mapped. Maximum grades and cross slopes may vary.

Obstructions less than 6.0 in (15 cm) or outside the tread area 12 in wide by 120 in (3 m) high were not measured. Minimum clearance boundaries were at least 12 in high.

This report has been generated by TrailWare which has been created by Beneficial Designs, Inc.














#### Riverview Park / Mexican Ditch Trail System









# **Funding Support**

Nevada Recreational Trails Program-Nevada Division of State Parks

Administered by the Federal Highway Administration (FHWA)

Safe, Accountable, Flexible, Efficient Transportation Equity Act: A Legacy for Users (SAFETEA-LU)

# Preventing Access Barriers

Need to provide access to all allowed user groups

Need to prevent those user groups not allowed





# Kissing Gate Barrier





Step Over Barrier







# Third Inverted Bollard Concept

Motorcycle Testing



# **Funding Support**

Development of the High Efficiency
Trail Assessment Process and the
Trail Gate Barrier Project provided
by the USDA CREES SBIR
program

# Beneficial Designs, Inc.

Minden, Nevada

www.beneficialdesigns.com mail@beneficialdesigns.com 775.783.8822 voice 775.783.8823 fax

Working toward universal access through research, design & education