

## Continuing Studies CS 21 · Stanford University

### Exercise 5 - Adding Fonts

```
<!doctype html>
<html>
<head>
  <title>STUDENT'S Home Page</title>
</head>
<body bgcolor="green">
<header>
<h1>
  <font color="red" face="arial">STUDENT</font>
</h1>
<h2>
  <font color="white" face="courier">About Me</font>
</h2>
<p>
<font face="verdana">
Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer vehicula
</font>
</p>
<h2>
  <font color="white" face="courier">About This Site</font>
</h2>
<p>
<font face="verdana">
Welcome to my in-class home page! As is the case with many webpages, mine is
still <em>under construction</em>!
</font>
</p>
<p>
<font face="verdana">
I created this page in a
<a href="http://csp.stanford.edu/" target="_blank">Continuing Studies</a> class
at <a href="http://www.stanford.edu/">Stanford University</a>.
</font>
</p>
</header>
<p>
<font face="verdana">
The website for my class is
<a href="http://www.stanford.edu/group/csp/cs21/">
http://www.stanford.edu/group/csp/cs21/</a>.
</font>
</p>
<footer>
<address>
<font face="times" size="1">
Last Updated: TODAY'S DATE
<br>Copyright 2014, STUDENT
</font>
</address>
</footer>
</body>
</html>
```

Note: deprecated HTML method;  
only for email newsletters!

## Exercise 6 - Basic CSS - Part 1 (the *inclass.html* HTML file)

```
<!doctype html>
<html>
<head>
  <title>STUDENT'S Home Page</title>
  <link rel="stylesheet" type="text/css" href="style.css">
</head>
<body bgcolor="green">
<header>
<h1>
  <font color="red" face="arial">STUDENT</font>
</h1>
<h2>
  <font color="white" face="courier">About Me</font>
</h2>
<p>
  <font face="verdana">
  Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer vehicula tincidunt nunc eget varius. Sed
  consectetur dolor ligula. Nullam tincidunt rutrum consectetur.
  </font>
</p>
<h2>
  <font color="white" face="courier">About This Site</font>
</h2>
<p>
  <font face="verdana">
  Welcome to my in-class home page! As is the case with many webpages, mine is still <em>under construction</em>!
  </font>
</p>
<p>
  <font face="verdana">
  I created this page in a
  <a href="http://csp.stanford.edu/" target="_blank">Continuing Studies</a> class at <a
  href="http://www.stanford.edu/">Stanford University</a>.
  </font>
</p>
</header>
<p>
  <font face="verdana">
  The website for my class is
  <a href="http://www.stanford.edu/group/csp/cs21/"> http://www.stanford.edu/group/csp/cs21/</a>.
  </font>
</p>
<footer>
<address>
  <font face="times" size="1">
  Last Updated: TODAY'S DATE
  <br>Copyright &copy; 2014, STUDENT
  </font>
</address>
</footer>
</body>
</html>
```

---

## Exercise 6 - Basic CSS - Part 2 (the *style.css* CSS file)

In a separate text editor window, open the file *style.css* and add the following:

```
body { background: green; }

h1 { color: red; font-family: Arial, Helvetica, sans-serif; }

h2 { color: white; font-family: Courier New, monospace; }

body, p { font-family: Verdana, sans-serif;}

address { font-family: Times New Roman, Times, serif;
  font-size: small;}
```